APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's OfficeMAR-0-1-1988- NEW PRIORITY DATE: APR 28 1995
Returned to applicant for correction
Corrected application filed
Map filed MAR 0 1 1988
DESERT ENTIEDRISES
The applicant. DESERT ENTTERPRISES Book 864
P.O. Box 864 Beatty Street and No. or P.O. Box No. City or Town
NV 89002 , hereby make. S. application for permission to appropriate the public State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.) NEVADA CORPORATION Feb 3, 1988.
1. The source of the proposed appropriation is Underground Source Name of stream, lake, spring, underground or other source
Traine of Stream, take, apring, and ground of other source
2. The amount of water applied for is 1 Cfs One second-foot equals 448.83 gals. per min. second-feet
(a) If stored in reservoir give number of acre-feet
3. The water to be used for quasi-municipal Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
in the SF1/4 of the NE1/4 of
Section 19, T 12 S, R 47 E, MDM or at a point from which the East 1/4 Corner of survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Said Section 19 bears S 60 ⁰ 44' 05" E a distance of 1,228.4 feet.
6. Place of use the S1/2 of the NE1/4, the N1/2 of the N1/2 of the SE1/4, the NE1/4 of Describe by legal subdivision. If on unsurveyed land, it should be so stated. The SUI/4 the SE1/4 of the NE1/4 of Section 25 T 12 S R 46 F MDM: the NE1/4
the SW1/4, the SE1/4 of the NW1/4 of Section 25, T 12 S, R 46 E, MDM; the NE1/4
of the NW1/4, the S1/2 of the NW1/4 of Section 30, T 12 S, R 47 E, MDM; the SE1/4
of the NE1/4, the NE1/4 of the SE1/4 of Section 19, T 12 S, R 47 E, MDM; the
W1/2 of the NW1/4 of Section 20, T 12 S, R 47 E, MDM.
7. Use will begin about January 1st and end about December 31st , of each year. Month and Day Month and Day About About December 31st , of each year.
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Existing wells will be used with electric State manner in which water is to be diverted, i.e. diversion structure, ditches and
numps, storage tanks and distribution water lines. flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$250,000.00

0. Estimated time required to construct worksWe1	ls are completed with steel casing and concret If well completed, describe works.
	ee(3) years for completion.
Estimated time required to complete the application	n of water to beneficial use five (5) years
2. Remarks: For use other than irrigation or stock vectors consumptive use.	watering, state number and type of units to be served or annual
A residential development is plann	ed with 550 residential units requiring 100
million gallons annually. Two wel	ls will be used to obtain this quantity.
ompared bk/bc pm/se	By s/Kenneth L. Haskew Kenneth L. Haskew, Agent Box 786 Goldfield, NV 89013
rotested	•
APPROVAL	OF STATE ENGINEER
This is to certify that I have examined the foregoing	application, and do hereby grant the same, subject to the following
	ed is only a temporary allowance and that the
final water right obtained under to of water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be install near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area downs 534.030. The State retains herein granted at any and all times.	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If we installed and maintained to prevent waste. He and maintained in the discharge pipeline accurate measurements must be kept of water water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress
final water right obtained under to of water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to no public, private or corporate land (CONTINUED ON PAGE 2)	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If we installed and maintained to prevent waste. He and maintained in the discharge pipeline accurate measurements must be kept of water water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress
final water right obtained under to of water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area d NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) e amount of water to be appropriated shall be limited	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If we installed and maintained to prevent waste. He and maintained in the discharge pipeline accurate measurements must be kept of water eizing meter must be installed before any use. Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress ds.
final water right obtained under to of water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited coed.	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If the installed and maintained to prevent waste. The led and maintained in the discharge pipeline of accurate measurements must be kept of water dizing meter must be installed before any use. Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is.
final water right obtained under to for water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) e amount of water to be appropriated shall be limited to million gallons annually.	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If we installed and maintained to prevent waste. He and maintained in the discharge pipeline accurate measurements must be kept of water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress as. To the amount which can be applied to beneficial use, and not to be feet per second but not to exceed 140.7
final water right obtained under to for water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) e amount of water to be appropriated shall be limited seed	chis permit will be dependent upon the amount eficial use. It is also understood that this ewering of the static water level. This well ach opening for measuring depth to water. If we installed and maintained to prevent waste. It and maintained in the discharge pipeline accurate measurements must be kept of water izing meter must be installed before any use. Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to bic feet per second. In but not to exceed 140.7
final water right obtained under to for water actually placed to bene right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be install near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) e amount of water to be appropriated shall be limited seed	chis permit will be dependent upon the amount eficial use. It is also understood that this owering of the static water level. This well ich opening for measuring depth to water. If we installed and maintained to prevent waste. It accurate measurements must be kept of water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to bic feet per second. In but not to exceed 140.7 December 30, 1990 December 30, 1990
final water right obtained under to for water actually placed to bener right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited seed. The prosecuted with reasonable diligence and poof of completion of work shall be filed on or before. The position of water to beneficial use shall be made on application of water to beneficial use shall be made on a position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to beneficial use shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated shall be made on the position of water to be appropriated at the position of	chis permit will be dependent upon the amount eficial use. It is also understood that this owering of the static water level. This well ich opening for measuring depth to water. If we installed and maintained to prevent waste. It is accurate measurements must be kept of water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to be feet per second but not to exceed 140.7 December 30, 1990 January 30, 1991
final water right obtained under to feed water actually placed to beneright must allow for a reasonable loss shall be equipped with a two (2) in the well is flowing, a valve must be the well is flowing, a valve must be a totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited used. The prosecuted with reasonable diligence and coof of completion of work shall be filed on or before. The polication of water to beneficial use shall be made on the polication of water to be polication of water to be polication of water to be polication of water to beneficial water to be polication.	chis permit will be dependent upon the amount eficial use. It is also understood that this owering of the static water level. This well ich opening for measuring depth to water. If be installed and maintained to prevent waste. Ited and maintained in the discharge pipeline accurate measurements must be kept of water rizing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to be completed on or before. December 30, 1990 January 30, 1991 December 30, 1993
final water right obtained under to for water actually placed to bener right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be instal near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited seed. This private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited seed. The private of completion of water to beneficial use shall be made on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of the application of water to beneficial use shall be filed on the proof of beneficial use shall be filed on the proof of the proof o	chis permit will be dependent upon the amount eficial use. It is also understood that this overing of the static water level. This well ich opening for measuring depth to water. If we installed and maintained to prevent waste. It accurate measurements must be kept of water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to be completed on or before. December 30, 1991 December 30, 1993 December 30, 1993 December 30, 1994
final water right obtained under to for water actually placed to bener right must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be install near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited coded. The prosecuted with reasonable diligence and coof of completion of work shall be filed on or before. The prosecuted with reasonable diligence and coof of the application of water to beneficial use shall be made on coof of the application of water to beneficial use shall be filed on or before. The prosecuted with reasonable diligence and coof of the application of water to beneficial use shall be filed on or before. The prosecuted water to beneficial use shall be filed on the properties of the proof of beneficial use shall be filed on the proof	chis permit will be dependent upon the amount efficial use. It is also understood that this overing of the static water level. This well ich opening for measuring depth to water. If we installed and maintained to prevent waste. It is accurate measurements must be kept of water izing meter must be installed before any use Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to be feet per second. The beautiful provided in the permittee of the permittee the right of ingress and egress is. To the amount which can be applied to beneficial use, and not to be completed on or before. December 30, 1990 January 30, 1991 December 30, 1993 December 30, 1993 December 30, 1994 December 30, 1994 December 30, 1994 December 30, 1994
final water right obtained under to for water actually placed to beneright must allow for a reasonable loshall be equipped with a two (2) in the well is flowing, a valve must be A totalizing meter must be install near the point of diversion and place to beneficial use. The total of water begins, or before the source is located within an area of NRS 534.030. The State retains herein granted at any and all times. This Permit does not extend to on public, private or corporate land (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited ceed	chis permit will be dependent upon the amount efficial use. It is also understood that this overing of the static water level. This well is observed to the static water level. This well is the opening for measuring depth to water. If we installed and maintained to prevent waste. Ited and maintained in the discharge pipeline accurate measurements must be kept of water izing meter must be installed before any use. Proof of Completion of Work is filed. This designated by the State Engineer, pursuant to the right to regulate the use of the water the permittee the right of ingress and egress is. It to the amount which can be applied to beneficial use, and not to be completed on or before. December 30, 1990 January 30, 1991 December 30, 1993 be filed on or before. December 30, 1994 December 30, 1994

51879

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 51879 and 51880 shall not exceed 140.7 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The place of use is limited to 291 units for a mobile home park within the $S^{\frac{1}{2}}$ NE $^{\frac{1}{4}}$ and the $N^{\frac{1}{2}}$ SE $^{\frac{1}{4}}$ Section 25 T. 12 S., R. 46 E., M.D.B. & M. and 240 units for single-family dwellings within the $SW^{\frac{1}{4}}$ NW $^{\frac{1}{4}}$, SE $^{\frac{1}{4}}$ NW $^{\frac{1}{4}}$ and NE $^{\frac{1}{4}}$ NW $^{\frac{1}{4}}$ Section 30, T. 12 S., R. 47 E., M.D.B. & M.